

## RT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION Unclassified			1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION/AVAILABILITY OF REPORT		
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE					
4. PERFORMING ORGANIZATION REPORT NUMBER(S) Technical Report No. 28			5. MONITORING ORGANIZATION REPORT NUMBER(S)		
6a. NAME OF PERFORMING ORGANIZATION The University of Texas at Arlington		6b. OFFICE SYMBOL (If applicable)		7a. NAME OF MONITORING ORGANIZATION Office of Naval Research	
6c. ADDRESS (City, State, and ZIP Code) Center for Advanced Polymer Research Department of Chemistry, Box 19065, University of Texas at Arlington, Arlington, TX. 76010			7b. ADDRESS (City, State, and ZIP Code) 600 North Quincy Street Arlington, Virginia 22217		
8a. NAME OF FUNDING/SPONSORING ORGANIZATION Defense Advanced Research Projects Agency		8b. OFFICE SYMBOL (If applicable) DARPA		9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER N00014-90-J-1320	
8c. ADDRESS (City, State, and ZIP Code) 1410 Wilson Boulevard Arlington, Virginia 22209			10. SOURCE OF FUNDING NUMBERS		
			PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.
			WORK UNIT ACCESSION NO.		
11. TITLE (Include Security Classification) Electroactive, Near Infrared Absorbing Nickel Bis(dithiolene) Complex Polycarbonates and Polyurethanes					
12. PERSONAL AUTHOR(S) Fei Wang, Hong-Jian Qiu and John R. Reynolds					
13a. TYPE OF REPORT Technical		13b. TIME COVERED FROM _____ TO _____		14. DATE OF REPORT (Year, Month, Day) April 12, 1991	
				15. PAGE COUNT 45	
16. SUPPLEMENTARY NOTATION Paper in press in <u>Macromolecules</u>					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB-GROUP			
			Nickel bis(dithiolene) polymers; polycarbonates; polyurethanes; near infrared absorbing		
19. ABSTRACT (Continue on reverse if necessary and identify by block number)					
<p>A new series of polycarbonates and polyurethanes, containing nickel bis(dithiolene) (Ni-BDT) complexes in the main chain, have been synthesized via polymerization of a functionalized Ni-BDT complex. These polymers are highly soluble in common organic solvents, and free-standing films can be cast from solution. Gel permeation chromatographic analysis on these polymers indicates hydrodynamic volumes comparable to polystyrene standards having weight average molecular weights (<math>M_w</math>) ranging from <math>1.35 \times 10^4</math> to <math>9.8 \times 10^4</math>. These polymers exhibit a near-IR absorbance between 830-940 nm in solution due to the Ni-BDT complex and solvatochromism is observed with more polar solvents shifting the near-IR absorbance band to higher wavelength. A single glass transition (<math>T_g</math>) is observed for all polymers, suggesting a relatively random polymerization (no phase separation). The <math>T_g</math>'s of the polycarbonates decrease with increased Ni-BDT, while the <math>T_g</math>'s of the polyurethanes increase, as expected for changes in chain rigidity. Most of the Ni-BDT complex polymers are electroactive with a two step redox process, typical for Ni-BDT complexes, observed in cyclic voltammograms of the polymers in solution. The results presented herein indicate that the incorporation of Ni-BDT complexes into polymer main chains impart the unique optoelectronic properties of Ni-BDT's to the polymer.</p>					
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT <input checked="" type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS OPT. <input type="checkbox"/> DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION Unclassified		
22a. NAME OF RESPONSIBLE INDIVIDUAL Dr. JoAnn Milliken			22b. TELEPHONE (Include Area Code) (202) 696-4410		22c. OFFICE SYMBOL

DEFENSE ADVANCED RESEARCH PROJECTS AGENCY/OFFICE OF NAVAL RESEARCH

Grant N00014-90-J-1320

R&T Code a400008df307

Technical Report No. 28

**Electroactive, Near Infrared Absorbing Nickel Bis(dithiolene)  
Complex Polycarbonates and Polyurethanes**

by

Fei Wang

Yong-Jian Qiu

John R. Reynolds

Center for Advanced Polymer Research

Department of Chemistry

Box 19065

The University of Texas at Arlington

Arlington, Texas 76019-0065

April 12, 1991



Reproduction in whole, or in part, is permitted for any purpose of the United States Government.  
This document has been approved for public release and sale: its distribution is unlimited.

*Macromolecules*

**Electroactive, Near-Infrared Absorbing, Nickel Bis(dithiolene)  
Complex Polycarbonates and Polyurethanes**

Fei Wang, Yong-Jian Qiu and John R. Reynolds\*

*Center for Advanced Polymer Research  
Department of Chemistry  
Box 19065  
The University of Texas at Arlington  
Arlington, Texas 76019-0065*

**ABSTRACT:** A new series of polycarbonates and polyurethanes, containing nickel bis(dithiolene) (Ni-BDT) complexes in the main chain, have been synthesized via polymerization of a functionalized Ni-BDT complex. These polymers are highly soluble in common organic solvents, and free-standing films can be cast from solution. Gel permeation chromatographic analysis on these polymers indicates hydrodynamic volumes comparable to polystyrene standards having weight average molecular weights ( $M_w$ ) ranging from  $1.35 \times 10^4$  to  $9.8 \times 10^4$ . These polymers exhibit a near-IR absorbance between 830-940 nm in solution due to the Ni-BDT complex and solvatochromism is observed with more polar solvents shifting the near-IR absorbance band to higher wavelength. A single glass transition ( $T_g$ ) is observed for all polymers, suggesting a relatively random polymerization (no phase separation). The  $T_g$ 's of the polycarbonates decrease with increased Ni-BDT, while the  $T_g$ 's of the polyurethanes increase, as expected for changes in chain rigidity. Most of the Ni-BDT complex polymers are electroactive with a two step redox process, typical for Ni-BDT complexes, observed in cyclic voltammograms of the polymers in solution. The results presented herein indicate that the incorporation of Ni-BDT complexes into polymer main chains impart the unique optoelectronic properties of Ni-BDT's to the polymer.

## INTRODUCTION

Transition metal dithiolene complexes are a large class of compounds that possess unusual chemical properties. These include the ability to undergo a sequence of reversible electron-transfer reactions, interesting magnetic properties and intense absorbance in the visible and near-infrared region. These complexes have been the subject of many chemical, electrochemical, structural, and spectroscopic studies.<sup>1-3</sup> Due to their molecular nature, only powders or single crystals can be obtained for these compounds causing limitations to their practical application. The incorporation of such complexes into the main chain of a polymer may then afford a material that exhibits the interesting properties of the metal complex while concurrently retaining useful polymeric properties of processability and mechanical durability.

A variety of metal complex polymers incorporating square-planar  $MS_4$  metal centers into conjugated ligands have been prepared<sup>4-13</sup> and studied theoretically.<sup>14</sup> A common feature of these polymers is that they are all prepared via a metal complexation polymerization with a planar conjugated tetrathio ligand. Upon complexation in a square planar coordination, the polymer structures are quite rigid and ribbon-like and, thus, these polymers are insoluble and infusible powders which precipitate during the complexation polymerization reaction. The insolubility and infusibility of these tetrathio complex polymers prohibit them from practical application.

In order to compensate for the low solubility of the fully conjugated metal tetrathio complex polymers, we have previously reported the incorporation of nickel bis(dithiolene) complexes (Ni-BDT) into the main chain of polymers that contain flexible units using metal complexation polymerizations.<sup>15,16</sup> Employing short spacers including  $-O-$ ,  $-S-$  and  $-CH_2-$ , and longer units including

$-\text{OCH}_2\text{CH}_2)_3-\text{O}-$ ,  $-(\text{CH}_2)_{10}-$  and  $-(\text{CH}_2)_{22}-$ , the polymers are highly soluble in a number of solvents in the as-made reduced (anionic) form. Oxidation of the metal centers to the essentially neutral form is found to decrease the overall solubility while polymers containing long flexible linkages are more soluble than those containing short linkages. Due to the nature of the metal complexation polymerization, problems such as incomplete tetrathiolate formation, non-stoichiometric balance of functional groups during polymerization, and low solubility are limits to obtaining high molecular weight polymers. This limits their mechanical properties and we were unable to prepare these polymers as free-standing films. In addition, as the flexible linkage in the ligand becomes longer, synthesis of the tetrathiolate ligand precursor becomes more difficult. For example, when the linkage is docosamethylene, the synthesis of the ligand requires multiple steps and therefore the overall yield is low.

Here we report a new synthetic approach to obtaining electroactive polymers containing the Ni-BDT complex along the main chain. This method involved preparing a bifunctionalized Ni-BDT complex which can then be polymerized using typical step-growth polymerization procedures. Two polymer series, polycarbonates and polyurethanes, have been prepared via this approach and characterized using FT-IR, UV-Vis-NIR, GPC, TGA and DSC.

## RESULTS AND DISCUSSION

**Synthesis of the Ni-BDT complex monomer.** The synthesis of 1,1'-bis(2-hydroxyethyl[4-(1,2-dithiolatoethenyl)benzene]] nickel (II) (**5**) was carried out as outlined in Scheme 1. The aliphatic hydroxy group was chosen as the functional group due to the fact that it is stable during the metal complexation reaction, has a

## insert Scheme I

minimum possibility of interfering with the complexation reaction and could be easily protected and deprotected during the synthetic steps if necessary. Beginning with phenethyl alcohol, a Friedel-Crafts acylation was carried out followed by reaction with potassium *O*-ethylxanthate to form the xanthate ester (**2**). No interference from the alcohol was observed though a problem occurred during the cyclization reaction of the xanthate ester. Previously<sup>16</sup> we had utilized HBr in acetic acid to effect the cyclization as initially developed by Mueller-Westerhoff et al.<sup>17</sup> In this instance compound **3** was contaminated with a by-product produced by the strongly acidic HBr solution causing dehydration or substitution on the hydroxy group and could not be separated by recrystallization. Alternatively, **2** was treated with an excess of acetyl chloride to protect the alcohol and the released stoichiometric amount of HCl provided a sufficiently acidic environment to promote the cyclization reaction to form the dithiocarbonate **3** without further reaction on the alcohol to form the by-product. In order to avoid the possible complications caused by deacylation, **3** was deprotected by aqueous K<sub>2</sub>CO<sub>3</sub> to **4** prior to the complexation reaction. The complexation reaction of **4** with nickel bromide was carried out as described before.<sup>16</sup>

The IR spectrum of **5** has an intense band at 1371 cm<sup>-1</sup> and a band at 1193 cm<sup>-1</sup> which are common features of IR spectra for Ni-BDT complexes.<sup>18</sup> The UV-Vis-NIR spectrum of **5** has an intense NIR band at 835 nm, which is typical for nickel bis(dithiolene) complexes in the neutral form.<sup>19</sup> The mass spectrum of **5** shows two molecular peaks at 478 and 480 with the 478 peak having a higher intensity. The natural abundance of <sup>58</sup>Ni is 68.27% and the natural abundance of <sup>60</sup>Ni is 26.10%. The calculated molecular weight of **5** with <sup>58</sup>Ni is 478 and with

$^{60}\text{Ni}$  is 480 accounting for these two peaks. The results are in good agreement with the calculated values which further confirms the proposed structure. Thermogravimetric analyses of **5** shows the compound has an onset of decomposition temperature of 217 °C, most likely due to dehydration of the alcohols. This will be addressed further later.

**Synthesis of polycarbonates and polyurethanes containing the Ni-BDT unit.** Polymerizations were carried out to prepare a series of bisphenol A (BPA) polycarbonates<sup>20,21</sup> containing varied compositions of the Ni-BDT complex along the polymer main chain as outlined in Scheme II using mole percentages of the Ni-BDT complex in the feed ranging from 0 to 20 mole %.

#### insert Scheme II

Pyridine, a good solvent for **5**, was used as both the solvent and the base for complexing the HCl produced in the reaction. In some instances, during the workup, some gel-like material formed which was insoluble in chloroform attributable to some cross-linking during the polymerization process. The insoluble gel was separated from the soluble fraction by centrifugation or filtration. All of the metal containing polycarbonates are solid green powders with a deeper color with increased content of the Ni-BDT complex.

A similar series of polyurethanes containing the Ni-BDT complex were prepared as outlined in Scheme III. A modified literature procedure was used to

#### insert Scheme III



yield polyurethanes with a Ni-BDT content ranging from 0 to 20 mol %.<sup>21-23</sup> Polymer **12** is white, while the metal containing polyurethanes are brown. Again, the intensity of the color increased with increased Ni-BDT content.

Elemental analysis results for the polycarbonates and polyurethanes are shown in Tables I and II respectively.

#### insert Tables I and II

The analyses of the polyurethanes are quite close to that expected based on the ratio of diols used in the polymerization. This is as expected as the aliphatic Ni-BDT diol (**5**) would be expected to have a similar reactivity to urethane formation as 1,10-decanediol. A discrepancy arose in the analysis of the polycarbonates. Using a 5 mol % and 10 mol % feed of the Ni-BDT diol relative to bisphenol A, the polymers obtained exhibited significantly lower than expected nickel contents. At the same time, the sulfur analyses are within experimental error of the feed composition. Since the Ni-BDT complex has been prepared and fully characterized prior to polymerization, there is most likely a problem in the combustion analyses for nickel in the polycarbonates. This is not surprising, as other investigators have had difficulties obtaining accurate combustion analyses on metal tetrathiolate polymers.<sup>10,11</sup> Incomplete dissolution prior to analysis may have led to these low values for nickel content. Outside of this, all of the combustion analysis results suggest the polymers have the expected composition.

Both <sup>13</sup>C and <sup>1</sup>H-NMR spectra were obtained on all polymers and are consistent with the expected polycarbonate and polyurethane structures detailed in Schemes II and III. Due to the relatively low content of the Ni-BDT units in the polymers, little microstructural information was available. For example, the <sup>1</sup>H-

NMR of polycarbonate **10** exhibits two broad single peaks at 3.1 and 4.4 ppm. Though these can be directly assigned to the two methylene groups of the Ni-BDT unit, the poor resolution does not allow determination of the identity of the alcohol group (BPA or Ni-BDT) on the other side of the carbonate linkage. The presence of the ten methylene linkages from the 1,10-decanediol in the polyurethanes precludes any use of NMR in structural determination here also.

**UV-Vis-Near-IR spectroscopy.** The UV-Vis-Near-IR spectra of these polymers, Figure 1, show one broad band in the near-IR range which corresponds

insert Figure 1

to the Ni-BDT complex  $2b_{1u} \rightarrow 3b_{2g}$  transition. We have previously reported observing this transition in nickel bis(dithiolene) polymers via *metal complexation polymerization* and this confirms the presence of the Ni-BDT complex in the polymers prepared via *polymerization of a functionalized metal complex*.<sup>16</sup> Again, as shown in Table III, the position of the NIR peak is significantly affected by solvent

insert Table III

polarity. In this case of both the polycarbonates and polyurethanes, over a 100 nm shift is observed in changing the solvent from toluene to DMSO. The fact that significant spectral changes are observed in the highly polar, yet non-reducing, solvents HMPA and DMSO indicates that the solvatochromic behavior is due to solvent polarity. These highly polar solvents have the ability to donate an electron pair and are referred to as electron pair donor solvents.<sup>25</sup> The neutral form of a Ni-BDT complex is a good electron acceptor and, presumably, a specific axial

interaction of the Ni-BDT metal center with solvent molecules is responsible for this solvatochromic behavior. The solvatochromism for some metal benzene-1,2-dithiolate complexes has been observed previously.<sup>26</sup>

**Infrared spectroscopy.** The infrared spectra of these nickel complex polymers is, over most of the spectra range, essentially identical to that of the parent polyurethane and polycarbonates since the highest Ni-BDT content utilized was 20 mol %. The Ni-BDT complex (5) does exhibit an intense band of  $1371\text{ cm}^{-1}$  due to a perturbed C=C stretch.

Fortuitously, in the case of the polyurethanes there is a window of low absorbance between  $1350\text{-}1400\text{ cm}^{-1}$  as shown in Figure 2 for polymer 12. As the

insert Figure 2

Ni-BDT complex content is increased in the polymer, there is a concomitant increase in absorption at  $1370\text{ cm}^{-1}$  indicating inclusion of the metal complex in the main chain. Similar results are observed for the polycarbonates as detailed in Figure 3. In this case there are interfering absorptions at  $1365$  and  $1385\text{ cm}^{-1}$

insert Figure 3

which are assigned to the geminal methyl group vibration of BPA. As the Ni-BDT complex content is increased, the absorption at ca.  $1370\text{ cm}^{-1}$  is increased to the point that the three peaks merge in the spectrum of polymer 11.

**Molecular weights.** The number-average molecular weight ( $M_n$ ) and weight-average molecular weight ( $M_w$ ) of these polymers were determined by gel

permeation chromatography (GPC) using polystyrene standards and the results are summarized in Table IV.

#### insert Table IV

In our earlier work<sup>15,16</sup> utilizing metal complexation polymerization, the Ni-BDT polymers were oligomeric in nature and were not fully soluble in THF. Soluble weight fractions exhibited discrete peaks with degrees of polymerization up to about hexamers evident.

The polycarbonates and polyurethanes prepared here exhibit much higher molecular weights. GPC traces are continuous and relatively symmetric. Free-standing films could be cast in all cases leading to tough solid materials for both the polycarbonates and the polyurethanes.

Examination of the GPC results for the polycarbonates shows a continuous drop in  $M_n$  from about 25,000 to 7,400 as the Ni-BDT complex content is increased. This can be attributed to a decreased reactivity of the aliphatic Ni-BDT diol to polymerization relative to BPA. Addition of a metal complex to the growing chain yields a less reactive chain end than the phenolic end-group generated when BPA is added.

This problem was not evident in the case of the polyurethanes as polymers **12-15** exhibited essentially the same molecular weights. Polymers **16** and **17** could not be completely dissolved in THF and the values reported are for the soluble fractions only. This constancy of molecular weight for the fully soluble polymers indicates that the Ni-BDT diol is exhibiting essentially the same reactivity to polymerization as 1,10-decanediol; as expected since they both contain aliphatic alcohol functional groups.

**Thermogravimetric analysis.** Thermograms for polymers 5-11 are shown in Figure 4 and that of polymers 12-17 in Figure 5. The onset of decomposition temperatures (ODT) are listed in Table V.

insert Figures 4 and 5

insert Table V

As expected the polycarbonates are more thermally stable to degradation than the polyurethanes. Examination of the thermal stability of the Ni-BDT diol monomer (5) shows a large initial mass loss between 200-300 °C of ca. 20%. This is most likely due to the elimination of H<sub>2</sub>O from the aliphatic diol, a process that is not seen after both carbonate and urethane formation and, thus, the polymers are more stable than the Ni-BDT monomer. There is a second thermal degradation occurring in 5 between 300-400 °C which is extended to the polymer degradation. This is evident in the thermograms of the polycarbonates (Figure 4) as increasing Ni-BDT contents lead to decreasing thermal stabilities. In that the onset of decomposition of the polyurethanes, with and without metal complex, occurs between 300-315 °C, this process does not lend to a decrease in their thermal stability.

**Differential scanning calorimetry.** DSC was used to determine the glass transition temperatures of these polymer samples. Figure 6 shows the DSC traces of polymers 6-11 while Figure 7 shows the DSC traces of polymers 12-17. All polymers exhibited a single glass transition ( $T_g$ ) as listed in Table VI. This is suggestive of a relatively random polymerization as substantial blockiness should cause phase separation and the observation of two  $T_g$ 's. Neither set of polymers

exhibited melt transitions at temperatures  $< 200\text{ }^{\circ}\text{C}$  and are, thus, amorphous as expected. This has been confirmed by x-ray diffraction studies of polycarbonate **11** and polyurethane **17**, each prepared using 20 mol % Ni-BDT

insert Figures 6 and 7

insert Table VI

in the feed. Amorphous halos peaking at  $2\theta$  equal to  $18^{\circ}(4.9\text{ }\text{\AA})$  and  $21^{\circ}(4.7\text{ }\text{\AA})$  are observed for **11** and **17** respectively.

The inclusion of the Ni-BDT complex into the main chain of these polymers causes a distinct, and opposite, effect on the glass transition properties. For the polycarbonates,  $T_g$  decreases up to  $35\text{ }^{\circ}\text{C}$  as the Ni-BDT is increased from 0-20 mol %. On the other hand, the  $T_g$  of the polyurethanes increases with Ni-BDT. A maximum increase of  $17\text{ }^{\circ}\text{C}$  is observed in comparing the polyurethane containing 20 mol % Ni-BDT to pure polyurethane. Examination of the polymers structural units between oxygen atoms, structures **18**, **19** and **20**, yields an explanation of these effects. Pure BPA polycarbonate has a rigid structure, with no flexible units on the polymer chain. Bond rotation is thus difficult and leads to the relatively high  $T_g$ . Incorporation of the Ni-BDT units along the polymer chain, which in this case contain two methylene groups on each side, introduce flexible and easily rotated sites. The pure polyurethane, on the other hand, contains a highly flexible decanediol unit between each urethane. The diphenyl nickel(bisdithiolene) unit has a relatively rigid structure, comparable to inclusion of a terphenyl along the chain when incorporated into the polyurethane. As such, overall chain rigidity, and  $T_g$ , are increased.

**Redox properties.** One of the more interesting properties of metal bis(dithiolenes) in general, and our previously studied nickel bis(dithiolene) polymers prepared by transition metal complexation polymerization,<sup>15,16</sup> is their ability to be reversibly cycled through various oxidation states. The polymers prepared here allow us to examine the effect of Ni-BDT complex content, and the nature of the polymeric backbone, on electroactivity.

Figure 8 shows a series of cyclic voltammograms for the polycarbonates containing 1-20 mol% Ni-BDT complex. At the lowest compositions of 1 and 2.5 mol % no electroactivity is apparent. As the Ni-BDT complex content increases, 2 reversible redox processes become evident. At a potential set to -1.5 V vs. Ag/AgCl the metal complex is held in the dianionic state. Scanning anodically the first oxidation, corresponding to the  $[\text{NiL}_2^{2-}] \rightleftharpoons [\text{NiL}_2^-]$  occurs with an  $E_{1/2} = -0.73$  V. The second process, with an  $E_{1/2} = +0.21$  V, corresponds to the  $[\text{NiL}_2^-] \rightleftharpoons [\text{NiL}_2^0]$  process. The peak potentials are constant as Ni-BDT complex content is increased as the metal centers behave as separated redox sites. The processes are essentially reversible as evidence by their 120 mV and 79 mV peak separations. The pattern of these redox processes is identical to those observed previously. When the solution of polymer **11** was scanned repeatedly, the cyclic voltammogram was completely reproducible, with no changes in the peak currents up to 15 scans, indicating the Ni-BDT complexes along the chains are electrochemically stable over this potential range. The peak currents are linearly dependent on the square root of scan rate for all processes. This indicates that there is no precipitation occurring during the scan and all redox processes involve solution species.

Quite similar redox processes are observed for the polyurethanes as shown in Figure 9. Only polymers **15-17** are shown as, in the case of the polycarbonates,

the polymers with low Ni-BDT complex content were not electroactive. Though the cyclic voltammograms for the polyurethanes exhibit broad peak separations of 1000 mV for the first oxidation and 340 mV for the second, the fact that  $E_{1/2}$  values are quite close to those of the polycarbonates indicates that the polymer environment is not expressing a large effect on the electroactivity of the Ni-BDT complex sites. The polyurethanes are significantly less electrochemically stable than the polycarbonates as shown by the multiple cyclic voltammograms in Figure 10 for polymer 17. The peak current for both the  $[\text{NiL}_2^{2+}] \rightleftharpoons [\text{NiL}_2^+]$  and  $[\text{NiL}_2^+] \rightleftharpoons [\text{NiL}_2^0]$  process decreases rapidly over 4 sequential scans showing the polymer to be unstable over this potential range. Though no deposition of polymer was evident, this instability precluded a scan rate analysis of the redox processes.

## CONCLUSIONS

The polymerization of an aliphatic diol functionalized nickel bis(dithiolene) complex has been utilized in the preparation of a new series of polycarbonates and polyurethanes containing 1-20 mol % of the metal complex. The polymers are highly soluble in a variety of organic solvents and of sufficient molecular weight to allow free-standing films to be prepared. The reactivity differences between the aliphatic Ni-BDT complex diol and BPA to carbonate formation was evident as polycarbonates with high Ni-BDT complex content exhibited lower molecular weights.

A typical Ni-BDT near infrared absorption is evident which exhibits solvatochromism. The peak position is affected by solvent polarity with 100 nm shifts observed.

All of the polymers are stable to  $> 250^\circ\text{C}$  with increased Ni-BDT content imparting a decreased thermal stability to the polycarbonates. The thermal stability



of the polyurethanes are not affected by the incorporation of the Ni-BDT complex. The Ni-BDT complex affects the polymer chain rigidity with an increase in the rigidity of the polyurethanes and a decrease in the rigidity of the polycarbonates.

With sufficient Ni-BDT complex content (5-20 mol %) the polymers are electroactive and exhibit the typical  $[\text{NiL}_2^{2-}] \rightleftharpoons [\text{NiL}_2^-]$  and  $[\text{NiL}_2^-] \rightleftharpoons [\text{NiL}_2^0]$  redox processes. The polycarbonates are quite stable to electrochemical cycling in solution while, conversely the polyurethanes are not.

## EXPERIMENTAL SECTION

All water and air sensitive liquids were transferred by cannula or with syringes. Air and moisture sensitive reactions were carried out with the use of standard inert atmosphere techniques. All melting points are uncorrected. Infrared spectra were recorded on a Biorad-Digilab FTS-40 Fourier transform spectrophotometer. For small molecules and brittle polymers, the diffuse reflectance method was used on samples containing 3 mg in 300 mg of KBr. For most polymers transmission methods were used on thin cast films on a KBr plate. Low-field (60 MHz) proton NMR spectra were run on a Varian EM 360 spectrometer. High-field (300 MHz)  $^1\text{H}$  and  $^{13}\text{C}$  NMR spectra were recorded on a Bruker MSL-300 spectrometer in chloroform- $d$  solutions. Chemical shifts are reported referenced to TMS, DMSO- $d_6$  (2.49 ppm for  $^1\text{H}$  and 39.5 ppm for  $^{13}\text{C}$ ), or chloroform- $d$  (77.0 ppm for  $^{13}\text{C}$ ). UV-Vis-NIR spectra were run on a Varian 2300 spectrophotometer. Mass spectroscopy was carried out using a direct exposure probe on a Finnigan MAT TSQ 70 GC/MS. The sample was equilibrated at 50 °C and subsequently heated at a rate of 100 °C/min to 1000 °C. GPC was carried out on a Waters 840 GPC system with UV (300 nm) and refractive index detector accessories. TGA and DSC were carried out on a DuPont 9900 Thermal Analysis

system fitted with a Model 951 Thermogravimetric Analyzer and Model 910 Differential Scanning Calorimeter accessory modules. The software supplied by the manufacturer was used for the analyses of data. All TGA experiments were performed with nitrogen flushing through the oven and cell at the rate of ca. 60 ml/min. A typical TGA scan procedure involved: (1) equilibrating at 80 °C and holding isothermally for 3 min, (2) heating at a rate of 20 °C/min to 900 °C. The DSC procedure used involved: (1) equilibrating at 200 °C and holding isothermally for 1 min, (2) cooling at a rate of 10 °C/min to -100 °C, (3) isothermal holding for 3 min, (4) heating at a rate of 10 °C/min to 200 °C. Mass spectrometry was performed on a Finnigan MAT TSQ 70 GC/MS instrument. A direct exposure probe method was used. The sample was equilibrated at 50 °C initially, and subsequently heated at a rate of 100 °C/min to 1000 °C. Elemental analyses were determined using a Perkin-Elmer 2400 CHN Analyzer. Powder x-ray diffraction studies were carried out on a Rigaku diffractometer with a theta-theta goniometer. The Cu-K $\alpha$  source was operated at 50 kV and 20 mA. Results were collected by repeated scanning, summed and averaged.

Cyclic voltammetry was carried out on an EG & G Princeton Applied Research Model 273 potentiostat/galvanostat in 0.1 M tetrabutylammonium perchlorate DMF solutions under an argon atmosphere. A Pt button working electrode and Pt counter electrode were employed with a Ag/AgCl reference electrode. The measurements were performed on saturated polymer solutions.

Ethanol was distilled over magnesium and degassed by three freeze-pump-thaw cycles. THF was distilled over potassium benzophenone. All other solvents were distilled over calcium hydride prior to use. Nitrogen was purified using an Alfa De-Ox deoxygenation catalyst train.

**4-(Chloroacetyl)phenethyl alcohol (1).** A procedure reported previously<sup>16</sup> was adopted by using  $\text{AlCl}_3$  (92.0 g, 0.69 mol), dichloromethane (120 ml), chloroacetyl chloride (37.3 g, 0.33 mol), phenethyl alcohol (36.6 g, 0.30 mol). The phenethyl alcohol solution was added while keeping the temperature about 10 °C. The crude **1** was recrystallized from ether and dried to give 48.8 g (81.9%) of **1**: mp 41-45 °C; IR (KBr) 3477, 3355, 2947, 1702, 1693, 1606, 1218, 1044, 818  $\text{cm}^{-1}$ ;  $^1\text{H}$  NMR (60 MHz)  $\delta$  1.96 (s, 1H), 2.92 (t, 2H,  $J=6.5$  Hz), 3.90 (t, 2H,  $J=6.5$  Hz), 4.67 (s, 2H), 7.2-7.4 (m, 2H), 7.8-8.0 (m, 2H).

**4-(O-Ethylxanthateacetyl)phenethyl alcohol (2).** A mixture of **1** (48.5 g, 0.244 mol) and *O*-ethylxanthic acid potassium salt (39.1 g, 0.244 mol, Aldrich Chemical) in acetone (250 ml) was heated to reflux for 3h. The mixture was allowed to cool to room temperature and filtered. The precipitate was washed with dichloromethane (50 ml). The combined organic phase was concentrated to give crude **2**. The crude **2** was dissolved in dichloromethane (200 ml) and washed with water (100 ml). The solution was dried (magnesium sulfate), concentrated and cooled to give light yellow solid. The solid was crushed and washed with hexane to give 65.9 g (95.0%) of **2**: mp 53-55 °C; IR (KBr) 3329, 2891, 1672, 1605, 1224, 1113, 1054  $\text{cm}^{-1}$ ;  $^1\text{H}$  NMR (60 MHz)  $\delta$  1.33 (t, 3H,  $J=7\text{Hz}$ ), 2.90 (t, 2H,  $J=6.8\text{Hz}$ ), 3.85 (t, 2H,  $J=6.8\text{Hz}$ ), 4.60 (s, 2H), 4.60 (q, 2H,  $J=7\text{Hz}$ ), 7.2-7.4 (m, 2H), 7.8-8.0 (m, 2H).

**4-(2-Oxo-1,3-dithiolyl)phenethyl acetate (3).** A mixture of **2** (63.4 g, 0.223 mol) and acetyl chloride (70 ml, 0.98 mol) was stirred at room temperature for 24 h. 200 ml of chloroform was added to the flask and the mixture was poured over ice (300 g). The chloroform solution was separated and washed with water until neutral, concentrated, recrystallized (ethanol), and dried to give 54.0 g (86.4%) of **3**: mp 55-56 °C; IR (KBr) 3079, 2964, 1728, 1632, 1256, 1042, 784  $\text{cm}^{-1}$ ;  $^1\text{H}$  NMR

(300 MHz)  $\delta$  2.03 (s, 3H), 2.95 (t, 2H,  $J=6.8\text{Hz}$ ), 4.28 (t, 2H,  $J=6.8\text{Hz}$ ), 6.81 (s, 1H), 7.24-7.37 (m, 4H);  $^{13}\text{C}$  NMR (75 MHz)  $\delta$  192.29, 170.76, 139.20, 134.58, 130.92, 129.57, 126.30, 111.28, 64.28, 34.62, 20.78. Anal. Calcd for  $\text{C}_{13}\text{H}_{12}\text{O}_3\text{S}_2$ : C, 55.69; H, 4.31; Found: C, 55.30; H, 3.97.

**4-(2-Oxo-1,3-dithiolyl)phenethyl alcohol (4).** A mixture of **3** (40.0 g, 0.143 mol) dissolved in 500 ml methanol and 40 g  $\text{K}_2\text{CO}_3$  dissolved in 300 ml of water was stirred at room temperature for 1 h. The mixture was extracted with 300 ml chloroform. The chloroform solution was washed with water, concentrated, recrystallized (methanol/ether), and dried to give 23.8 g (70.0%) of **4**: mp 92-94 °C; IR (KBr) 3258, 3060, 2927, 1697, 1632, 1503, 1055, 1046, 868  $\text{cm}^{-1}$ ;  $^1\text{H}$  NMR (300 MHz)  $\delta$  1.50 (s, 1H), 2.89 (t, 2H,  $J=6.8\text{Hz}$ ), 3.89 (t, 2H,  $J=6.8\text{Hz}$ ), 6.80 (s, 1H), 7.26-7.39 (m, 4H);  $^{13}\text{C}$  NMR (75 MHz)  $\delta$  192.58, 140.11, 134.83, 130.93, 129.83, 126.49, 111.22, 63.32, 38.78. Anal. Calcd for  $\text{C}_{11}\text{H}_{10}\text{O}_2\text{S}_2$ : C, 55.44; H, 4.23. Found: C, 56.32; H, 4.56.

**1,1'-Bis[2-hydroxyethyl[4-(1,2-dithiolatoethenyl)benzene]]nickel (II) (5).** A mixture of **4** (1.500 g, 6.294 mmol) and sodium ethoxide (1.285 g, 18.88 mmol) in ethanol (100 ml) was heated at 60 °C with stirring for 40 min. Nickel bromide (0.687 g, 3.147 mmol) dissolved in ethanol (200 ml) was added to the mixture via cannula. The resulting mixture was heated at 60 °C for 4 h and then cooled to room temperature. The ethanol was removed and 200 ml acetone was added to the residue. After filtering and washing the solid residue with more acetone (2 x 100 ml), the acetone solution was collected and a solution of 50 ml of water with 1 ml of 37% HCl was added. Removing the solvent gave the product which was washed with water and chloroform then dried under vacuum to give 1.034 g (68.6%) of **5**: IR (KBr) 3366, 3022, 2933, 1414, 1371, 1193, 1043, 1017, 864, 793  $\text{cm}^{-1}$ ;  $^1\text{H}$  NMR (300 MHz)  $\delta$  2.71 (s, 2H), 3.56 (s, 4H), 4.19 (s, 4H), 7.0-7.5

(m, 8H), 8.0-9.0 (br.s, 2H); UV-Vis-NIR (THF)  $\lambda_{\text{max}}$  ( $\epsilon$ ) 295 (24500), 365 (sh, 9100), 835 (10150) nm. Anal. Calcd for  $\text{C}_{20}\text{H}_{20}\text{NiO}_2\text{S}_4$ : C, 50.11; H, 4.21. Found: C, 49.84; H, 3.84.

**Syntheses of polymers 6-11.** Poly(oxycarbonyloxy-1,4-phenylene-isopropylidene-1,4-phenyl-ene)(6). Poly{[1-oxyethylene[4-(1,2-dithio-latoethenyl)-phenylene]-nickel(II)[(1',2'-dithiolatoethenyl)4'-phenyl-ene]1'-ethyleneoxy-carbonyl]-co-(oxycarbonyloxy-1,4-phenylene-isopropylidene-1,4-phenylene)} (7-11). The general procedure is as follows. A 50 ml three necked flask equipped with a mechanical stirrer was charged with 5, bisphenol A, and 10 ml of pyridine. The mixture was then purged with nitrogen for 10 min. Phosgene was admitted into the vapor space of the reaction flask and the stirring was continued. The temperature was maintained at about 25 °C. Addition time for phosgene was about 1.5 h, during which time the viscosity of the solution increased and pyridinium hydrochloride precipitated. The end point for the polymerization was assured by visual observation that the viscosity of the solution no longer increased as phosgene addition continued. Sometimes a gel like mixture was formed. The polymer solution was then diluted with 10 ml of chloroform and precipitated into 200 ml of methanol and stirred vigorously. The polymer was redissolved in 20 ml of chloroform and filtered. The chloroform polymer solution was reprecipitated into 200 ml methanol. The polymer was filtered and dried at 65 °C in a vacuum oven overnight. From 0.600 g of BPA was obtained 0.471 g (70.5%) of 6: IR (neat) 2970, 1775, 1505, 1409, 1365, 1227, 1193, 1163, 1014, 831  $\text{cm}^{-1}$ . From 0.021 g of 5 and 0.990 g of BPA was obtained 0.994 g (88.4%) of 7: From 0.053 g of 5 and 0.975 g of BPA was obtained 1.054 g (92.4%) of 8: From 0.105 g of 5 and 0.950 g of BPA was obtained 1.064 g (91.0%) of 9: From 0.105 g of 5 and 0.450 g of BPA

was obtained 0.523 g (85.5%) of **10**: From 0.210 g of **5** and 0.400 g of BPA was obtained 0.577 g (86.5%) of **11**: The polymers ranged in color from white to dark green, the solubilities in THF ranged from 5% to 10%.

**Syntheses of polymers 12-17.** Poly(oxycarbonylimino-4-methyl-1,3-phenyleneiminocarbonyl-oxydecamethylene) (**12**). Poly{[1-oxyethylene[4-(1,2-dithiolatoethenyl)phenylene]-nickel(II)[(1',2'-dithiolatoethenyl)4'-phenylene]1'-ethyleneoxy-carbonylimino-4-methyl-1,3-phenyleneiminocarbonyl]-co-(oxy-carbonylimino-4-methyl-1,3-phenyleneiminocarbonyloxydeca-methylene)} (**13-17**). The general procedure are as follows. A 50 ml three neck flask with mechanical stirrer was charged with tolylene 2,4-diisocyanate (TDI) dissolved in 5 ml DMSO. **5** and 1,10-decanediol were dissolved in 5 ml of DMSO and charged into a addition funnel. The flask was heated to 60 °C and the DMSO solution of the diol was drop added to the flask with stirring over 10 min. After the completion of the addition, 5 drops of dibutyltin dilaurate were added as catalyst. The mixture was stirred for 4 h at 60 °C. The polymer solution was then diluted with 5 ml of DMSO and precipitated into 200 ml of methanol with vigorous stirring. The rubbery product was then cut to small pieces, washed with water and methanol, and dried at 70 °C in a vacuum oven overnight. From 1.00 g of 1,10-decanediol and 1.02 g of TDI was obtained 1.823 g (91.2%) of **12**: IR (neat) 3312, 2928, 2855, 1706, 1600, 1535, 1229, 1068, 756  $\text{cm}^{-1}$ . From 0.027 g of **5**, 0.990 g of 1,10-decanediol and 0.999 g of TDI was obtained 0.926 g (45.9%) of **13**: From 0.069 g of **5**, 0.975 g of 1,10-decanediol and 0.999 g of TDI was obtained 1.488 g (72.8%) of **14**: From 0.138 g of **5**, 0.950 g of 1,10-decanediol and 0.999 g of TDI was obtained 1.689 g (80.9%) of **15**: From 0.138 g of **5**, 0.450 g of 1,10-decanediol and 0.499 g of TDI was obtained 0.716 g (65.9%) of **16**: From 0.275 g of **5**, 0.400 g of 1,10-decanediol and 0.499 g of TDI

was obtained 0.532 g (45.3%) of **17**: The polymers ranged in color from white to dark brown, the solubilities in THF ranged from 5% to 10%.

**Acknowledgments.** This work was supported by grants from the Defense Advanced Research Projects Agency, monitored by the Office of Naval Research, and the Robert A. Welch Foundation(Y-1012).

## REFERENCES AND NOTES

- (1) McLeverly, J. A. *Prog. Inorg. Chem.* **1968**, *10*, 49.
- (2) Eisenberg, R. *Prog. Inorg. Chem.* **1970**, *12*, 295.
- (3) Burns, R. P.; McAuliffe, C. A. *Adv. Inorg. Chem. Radiochem.* **1979**, *22*, 303.
- (4) Schumaker, R. R.; Engler, E. M. *J. Am. Chem. Soc.* **1977**, *99*, 5521.
- (5) Teo, B. K.; Wudl, F.; Hauser, J. J.; Kruger, A. *J. Am. Chem. Soc.* **1977**, *99*, 4862.
- (6) Poleschner, H.; John, W.; Kempe, G.; Hoyer, E.; Fanghang, H. *Z. Chem.* **1978**, *18*, 345.
- (7) Rivera, N. M.; Engler, E. M.; Schumaker, R. R. *J. Chem. Soc., Chem. Commun.* **1979**, 184.
- (8) Gotzfried, F.; Beck, W.; Lerf, A. *Angew. Chem., Int. Ed. Engl.* **1979**, *18*, 463.
- (9) Ribas, J.; Cassoux, P. *C. R. Acad. Sci., Ser. II* **1981**, *293*, 665.
- (10) Vicente, R.; Ribas, J.; Cassoux, P.; Valade, L. *Synth. Met.* **1986**, *13*, 265.
- (11) Dirk, C. W.; Bosseau, M.; Barrett, P. H.; Moraes, F.; Wudl, F.; Heeger, A. J. *Macromolecules* **1986**, *19*, 266.
- (12) Reynolds, J. R.; Chien, J. C. W.; Lillya, C. P. *Macromolecules* **1987**, *20*, 1184.
- (13) Reynolds, J. R.; Jolly, C. A.; Krichene, S.; Cassoux, P.; Faulmann, C. *Synth. Met.* **1989**, *31*, 109.
- (14) Alvarez, S.; Vicente, R.; Hoffmann, R. *J. Am. Chem. Soc.* **1985**, *107*, 6253.
- (15) Wang, F.; Reynolds, J. R. *Macromolecules* **1988**, *21*, 2887.
- (16) Wang, F.; Reynolds, J. R. *Macromolecules* **1990**, *23*, 3219.
- (17) Mueller-Westerhoff, U. T.; Nazzari, A.; Cox, R. J.; Giroud, A. M. *Mol. Cryst. Liq. Cryst. Lett.* **1980**, 249.
- (18) Schrauzer, G. N.; Mayweg, V. P. *J. Am. Chem. Soc.* **1965**, *87*, 1483.



- (19) Olson, D. C.; Mayweg, V. P.; Schrauzer, G. N. *J. Am. Chem. Soc.* **1966**, *88*, 4876.
- (20) Fox, D. W.; Overberger, C. G.; Avchen, A. *Macromol. Syn.* **1963**, *1*, 9.
- (21) Goldberg, E. P. *J. Polym. Sci., Part C.* **1964**, *4*, 707.
- (22) Lyman, D. J. *J. Polym. Sci.* **1960**, *45*, 49.
- (23) McElroy, W. R.; Lenz, R. W.; Scharlach, G. M. *Macromol. Syn.* **1963**, *1*, 69.
- (24) Ding, Y. S.; Register, R. A.; Yang, C.; Cooper, S. L. *Polymer* **1989**, *30*, 1204.
- (25) Reichardt, C. "Solvent Effects in Organic Chemistry", Weinheim: New York, 1979.
- (26) Baker-Hawkers, M. J.; Billig, E.; Gray, H. B. *J. Am. Chem. Soc.* **1966**, *88*, 4870.

**Table I**  
**Elemental Analysis Results for Polycarbonates**

	a	b		C%	H%	S%	Ni%
7	0.01	0.99	calc	75.07	5.51	-	-
			found <sup>a</sup>	76.34	5.07	-	-
8	0.025	0.975	calc	74.33	5.45	-	-
			found <sup>a</sup>	75.91	4.92	-	-
9	0.05	0.95	calc	73.14	5.36	2.40	1.10
			found <sup>a</sup>	74.04	5.45	-	-
			found <sup>b</sup>	72.82	5.43	2.59	0.41
10	0.10	0.90	calc	70.93	5.20	4.59	2.10
			found <sup>a</sup>	72.54	5.34	-	-
			found <sup>b</sup>	71.49	5.38	4.52	0.56
11	0.20	0.80	calc	67.06	4.90	-	-
			found <sup>a</sup>	69.78	4.50	-	-

<sup>a</sup> carried out at UT-Arlington

<sup>b</sup> carried out at Texas Analytical Laboratories, Inc.

**Table II**  
**Elemental Analysis Results for Polyurethanes**

	a	b		C%	H%	N%	S%	Ni%
13	0.01	0.99	calc	65.26	8.02	7.97	-	-
			found <sup>a</sup>	64.60	7.00	7.93	-	-
14	0.025	0.975	calc	64.93	7.91	7.87	-	-
			found <sup>a</sup>	64.57	6.89	7.86	-	-
15	0.05	0.95	calc	64.40	7.73	7.70	1.76	0.81
			found <sup>a</sup>	64.66	7.81	7.68	-	-
			found <sup>b</sup>	63.85	7.76	-	2.04	0.89
16	0.10	0.90	calc	63.39	7.39	7.39	3.38	1.55
			found <sup>a</sup>	63.65	7.43	7.41	-	-
			found <sup>b</sup>	62.85	7.32	-	3.46	1.97
17	0.20	0.80	calc	61.60	6.80	6.84	-	-
			found <sup>a</sup>	61.44	5.84	6.86	-	-

<sup>a</sup> carried out at UT-Arlington

<sup>b</sup> carried out in Texas Analytical Laboratories, Inc.

Table III  
Near-IR Absorbance Results for Compounds 9, 15

solvent	dielectric constant	$\lambda_{\text{max}}$ (nm) of 9	$\lambda_{\text{max}}$ (nm) of 15
toluene	2.4	840	840
CHCl <sub>3</sub>	4.8	845	830
THF	7.6	845	838
HMPA	30.0	930	930
DMF	36.7	932	933
DMSO	46.6	942	942

**Table IV**  
**GPC Results for Polymers 6-17**

polymer	M <sub>n</sub>	M <sub>w</sub>	polymer	M <sub>n</sub>	M <sub>w</sub>
<b>6</b>	24,400	66,200	<b>12</b>	15,600	45,600
<b>7</b>	25,600	97,800	<b>13</b>	14,400	31,900
<b>8</b>	19,000	83,200	<b>14</b>	15,700	50,700
<b>9</b>	14,700	67,100	<b>15</b>	14,800	46,400
<b>10</b>	10,900	52,600	<b>16<sup>a</sup></b>	11,500	34,100
<b>11</b>	7,400	25,100	<b>17<sup>a</sup></b>	6,600	13,500

<sup>a</sup> polymers partially soluble in THF

**Table V**  
**TGA Results for Compounds 5-17**

sample	ODT (°C)	sample	ODT (°C)
6	489	12	315
7	479	13	315
8	445	14	313
9	381	15	303
10	347	16	300
11	308	17	278
5	217		

**Table VI**  
**DSC Results for Compounds 6-17**


sample	T <sub>g</sub> (°C)	sample	T <sub>g</sub> (°C)
6	154	12	59
7	152	13	60
8	145	14	63
9	136	15	65
10	132	16	73
11	119	17	76

## Figure Captions


- Figure 1.** UV-Vis-Near-IR spectrum of polymer 9.
- Figure 2.** Infrared spectra of polymers 12-17.
- Figure 3.** Infrared spectra of polymer 6-11.
- Figure 4.** TGA thermograms of polymers 6-11 and monomer 5.
- Figure 5.** TGA thermograms of polymers 12-17 and monomer 5.
- Figure 6.** DSC scans for polymers 6-11.
- Figure 7.** DSC scans for polymers 12-17.
- Figure 8.** Cyclic voltammograms for Ni-BDT polycarbonates. (a) polymer 7, (b) polymer 8, (c) polymer (9), (d) polymer 10 and (e) polymer 11. Scan rate = 100 mV s<sup>-1</sup>.
- Figure 9.** Cyclic voltammograms for Ni-BDT polyurethanes. (a) polymer 15, (b) polymer 16 and (c) polymer 17. Scan rate = 100 mV s<sup>-1</sup>.
- Figure 10.** Four consecutive cyclic voltammograms for polymer 17. Scan rate = 100 mV s<sup>-1</sup>.




F1




F2



F3



F4









Fig.






F8







F9




F10



Scheme I




Scheme II




- |    |             |             |
|----|-------------|-------------|
| 6  | $a = 0$     | $b = 1$     |
| 7  | $a = 0.01$  | $b = 0.99$  |
| 8  | $a = 0.025$ | $b = 0.975$ |
| 9  | $a = 0.05$  | $b = 0.95$  |
| 10 | $a = 0.10$  | $b = 0.90$  |
| 11 | $a = 0.20$  | $b = 0.80$  |


Scheme III




12	a = 0	b = 1
13	a = 0.01	b = 0.99
14	a = 0.025	b = 0.975
15	a = 0.05	b = 0.95
16	a = 0.10	b = 0.90
17	a = 0.20	b = 0.80



18



19



20